

# RONDELLE-MD-HIS-BRUT-DE-FRITTAGE · SAW-BLANKS-SC-HIS-JUST-SINTERED · RONDEN-HM-HIS-ROH-GESINTERT



SWISS MADE

20150-50-13-3.3

Version 08.05.2026

50.5  
Ø D (MM)

## MATERIAL COMPATIBILITY

●●● Excellent (3/3) ●● Good (2/3) ●○ Possible (1/3) ○○○ Not recommended

| MATERIAL   | SPECIFICATION                | GRP | 20150-50-13-3.3 |
|--|------------------------------|-----|-----------------|
| <b>Alloyed and non-alloyed steels</b><br><small>Non-alloyed steels</small> | Rm < 450 N/mm <sup>2</sup>   | 1a  | ○○○             |
|  | Rm 450–700 N/mm <sup>2</sup> | 1b  | ○○○             |
|  | Rm 700–900 N/mm <sup>2</sup> | 1c  | ○○○             |
|  | Rm > 1200 N/mm <sup>2</sup>  | 1d  | ○○○             |
| <b>Stainless steels</b><br><small>Stainless steels</small>                 | Rm < 650 N/mm <sup>2</sup>   | 2a  | ○○○             |
|  | Rm 650–950 N/mm <sup>2</sup> | 2b  | ○○○             |
|  | Rm > 950 N/mm <sup>2</sup>   | 2c  | ○○○             |
| <b>Hardened steels</b><br><small>Hardened steels</small>                   | 44–56 HRC                    | 3a  | ○○○             |
|  | 57–67 HRC                    | 3b  | ○○○             |
| <b>Exotic materials</b><br><small>Special alloys</small>                   | < 32 HRC                     | 4a  | ○○○             |
|  | > 32 HRC                     | 4b  | ○○○             |
| <b>Graphite</b><br><small>Industrial graphite</small>                      |                              | 5   | ○○○             |
| <b>Cast iron</b><br><small>Grey / nodular cast iron</small>                | < 32 HRC                     | 6a  | ○○○             |
|  | > 32 HRC                     | 6b  | ○○○             |
| <b>Titanium</b><br><small>Titanium alloys</small>                          | Rm < 600 N/mm <sup>2</sup>   | 7a  | ○○○             |
|  | 600 < Rm N/mm <sup>2</sup>   | 7b  | ○○○             |
| <b>Nickel alloys</b><br><small>Inconel, Hastelloy</small>                  | Rm < 1000 N/mm <sup>2</sup>  | 8a  | ○○○             |
|  | Rm > 1000 N/mm <sup>2</sup>  | 8b  | ○○○             |
| <b>Copper, brass, bronze</b><br><small>Copper-based</small>                | Rm < 850 N/mm <sup>2</sup>   | 9a  | ○○○             |
|  | Rm > 850 N/mm <sup>2</sup>   | 9b  | ○○○             |
| <b>Aluminum</b><br><small>Aluminum alloys</small>                          | Si < 0.5%                    | 10a | ○○○             |
|  | 0.5% < Si < 5%               | 10b | ○○○             |
|  | Si > 5%                      | 10c | ○○○             |
| <b>Synthetic materials</b><br><small>Engineering plastics</small>          | Thermoplastic                | 11a | ○○○             |
|  | Thermoset                    | 11b | ○○○             |
| <b>Composite materials</b><br><small>Reinforced composites</small>         | Glass fiber / GFK            | 12a | ○○○             |
|  | Carbon fiber / KFK           | 12b | ○○○             |
| <b>Precious metals</b><br><small>Gold, platinum, silver</small>            | Gold                         | 13a | ○○○             |
|  | Platinum                     | 13b | ○○○             |

## TECHNICAL DRAWING



## DIMENSIONS

| NOMINAL DIMENSIONS |         |
|--------------------|---------|
| D (0 / -0.01)      | 50.5 mm |
| d (h5)             | 12.7 mm |
| L                  | –       |
| l1                 | –       |
| l3                 | –       |
| d3                 | –       |
| R                  | –       |
| e                  | 3.3 mm  |
| Z                  | –       |
| Chamfer K          | –       |
| w° collision       | –       |



E-SHOP / EZI CUT  
eskenazi.ch/eshop/20150-50-13-3.3

© 2026 Eskenazi SA — Carouge, Genève  
All rights reserved